

LAB VALUE MATCHING

Draw lines to match the Lab Test to its Normal Value range:

Activated PTT	-2 to +2 mEq/L
Ammonia	0.1 - 1.2 mg/dL
Base Excess	0.7 - 1.4 mg/dL
Bicarbonate	<1 mg/dL
Bilirubin (Total)	<100 pg/mL
Blood Urea Nitrogen	19 - 60 mcg/dL
Brain Natriuretic Peptide	22 - 26 mEq/L
C-Reactive Protein	<200 mg/dL
Calcium	<250 ng/mL
Chloride	30 - 40 sec
Cholesterol	55 - 170 U/L
Creatine Kinase	7 - 20 mg/dL
Creatinine	8.4 - 10.2 mg/dL
Creatinine Clearance	85 - 125 mL/min
D-Dimer	96 - 108 mEq/L

LAB VALUE MATCHING

Draw lines to match the Lab Test to its Normal Value range:

Ferritin	0 - 160 U/L
Glomerular Filtration Rate	0.8 - 1.2
Glucose	1.6 - 2.6 mg/dL
Hematocrit	20 - 300 ng/mL
Hemoglobin	50 - 175 mcg/dL
International Normalized Ratio	<70 mg/dL
Iron	70 - 115 mg/dL
Lactic Acid	80 - 100 fL
Lipase	90 - 120 mL/min/m ²
Low Density Lipoprotein	95 - 100%
Magnesium	Art: 0.5-1.6 Ven: 0.5-2.2 mEq/L
Mean Corpuscular Volume	M: 13.5-16.5 g/dL F: 12-15 g/dL
Oxygen Saturation	M: 41-50% F: 36-44%


LAB VALUE MATCHING

Draw lines to match the Lab Test to its Normal Value range:

Partial Pressure of CO ₂	<0.035 ng/mL
Partial Pressure of O ₂	100,000 - 450,000 cells/mcL
Partial Thromboplastin Time	11 - 14 sec
pH	135 - 145 mEq/L
Phosphorus	<14.5
Platelets	<150 mg/dL
Potassium	25 - 35 sec
Protein (Total)	3 - 4.5 mg/dL
Prothrombin Time	3.5 - 5.5 mEq/L
RBC Distribution Width	35 - 45 mmHg
Red Blood Cells	M: 4.5 - 5.5 F: 4-4.9 x 10 ⁶ cells/L
Sodium	4,500 - 10,000 cells/mcL
Triglycerides	6 - 8 g/dL
Troponin I	7.35 - 7.45
White Blood Cells	80 - 100 mmHg


LAB VALUE MATCHING

ANSWER KEY:



LAB VALUE MATCHING

ANSWER KEY:



LAB VALUE MATCHING

Answer Key

